

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	82	select with region with synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 08:42
S2	33	(absolute near2 value) same (accumulat\$3) same synchron\$7 same code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/12 11:28
S3	10915	375/354,316,355,356,359,361,362, 363,365,366,367,368.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 15:23
S4	756	S3 and (synchron\$7 near2 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 08:59
S5	128	S4 and ((synchron\$7 near2 code) with correlat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 09:00
S6	681	S3 and (synchron\$7 near2 word)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 08:59
S7	20	S4 and ((synchron\$7 near2 word) with correlat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 09:00
S8	20	("5420850" "5568473" "5822359").PN. OR ("6480558"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 14:18
S9	3	(initial near2 synchroniz\$5) with select\$3 with region	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 14:43

EAST Search History

S10	0	(initial near2 synchroniz\$5) with (regoin or position) with (high near3 power near3 distribution)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 14:44
S11	0	(synchroniz\$5) with (regoin or position) with (high near3 power near3 distribution)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 14:44
S12	2	(synchroniz\$5) with (high near3 power near3 distribution)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 14:46
S13	1037	(synchroniz\$5) with (high near3 power)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 14:46
S14	1	S13 and (accumulat\$3 with calculator with adder with estimat\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 15:21
S15	1	S13 and ((memory or buffer or register or stor\$3) with calculator with adder with estimat\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 15:22
S16	16	estimat\$3 with DWPTS	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 14:49
S17	0	((memory or buffer or register or stor\$3 or accumulator) with (ansolute near2 value) with adder with (estimat\$3 or locator))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/05 15:23
S18	12	S3 and (TD near2 SCDMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 15:28
S19	14	S3 and ((TD near2 SCDMA) or (UMTS near2 TDD))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 15:57
S20	2	S19 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 15:47
S23	2	"5638375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 15:49

EAST Search History

S24	1058	((TD near2 SCDMA) or (UMTS near2 TDD))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 15:57
S27	9	S24 and ((timing information) with synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 16:08
S28	9	S24 and ((timing information) with synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 16:09
S29	18	S24 and ((location or timing) with ((synchroniz\$5 or sync) near2 (word or code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 16:37
S30	0	("2005/0053048").URPN.	USPAT	ADJ	ON	2007/02/05 16:29
S31	5	frame synchroniz\$5 and S24	USPAT	ADJ	ON	2007/02/05 16:29
S32	103	estimat\$3 with (location or timing) with ((sync or synchroniz\$5) near4 (code or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/05 16:38
S33	25	estimat\$3 with (location or timing) with ((sync or synchroniz\$5) near4 (code or word)) with frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 08:57
S34	1517	375/342,343.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:02
S35	205	S34 and ((sync or synchroniz\$5) near2 (code or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:26

EAST Search History

S36	2	S35 and (??PTS or (pilot near3 time near3 slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:30
S37	5	S35 and (power near3 distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:34
S38	1588	preamble and pilot and synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:35
S39	103	S38 and (select\$3 with region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:35
S40	10	S39 and ((sync or synchron\$7) near3 (code or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:42
S41	4229	initial near3 synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:43
S42	39	S41 and (power near3 distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:43
S43	4	S42 and time division	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:44

EAST Search History

S44	137	(stor\$3 or sav\$3) same (absolute near3 value) same (add\$3 or sum\$4) same (estimat\$3 or locat\$3) same code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:46
S45	247	(stor\$3 or sav\$3) same (absolute near3 value) same (add\$3 or sum\$4) same (estimat\$3 or locat\$3) same (code or word)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 09:46
S46	25	S45 and (pilot or preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 13:47
S47	1692	per near3 correlat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 13:50
S48	72	S47 and (power near2 (distribution or profile or spectrum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 13:50
S49	11	S48 and ((sync or synchroniz\$5) near2 (code or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 13:50
S50	5447	(pre or prior) near3 correlat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 13:50
S51	340	S50 and (power near2 (distribution or profile or spectrum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 13:50

EAST Search History

S52	48	S51 and ((sync or synchroniz\$5) near2 (code or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 13:50
S53	1804	327/141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 13:58
S54	10	S53 and power and (synchroniz\$5 near2 (code or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 14:06
S55	155	(synchroniz\$5 and (TD near2 CDMA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 14:08
S56	0	S55 and (power with locat\$3 with (synchroniz\$5 or sync))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 14:15
S57	752	709/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 14:15
S58	540	S57 and synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 14:16
S59	0	S58 and time divisional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 14:23

EAST Search History

S60	2	"6246735".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/07 14:23
S61	13	("5596582" "5619507" "6044277").PN. OR ("6246735"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 14:35
S62	1	"5638375".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 15:04
S63	494	lg.as. and (lee and jae).in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 15:05
S64	36	lg.as. and (lee and cheol and jae). in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 15:10
S65	2	(stor\$3 or sav\$3 or accumul\$3) with I with Q with (absolute value or power) with (add\$3 or sum\$4) with (estimat\$3 or locat\$3) and (synchroniz\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 15:18
S66	27	I with Q with (absolute value or power) with (add\$3 or sum\$4) with (estimat\$3 or locat\$3) and (synchroniz\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 15:35
S67	2	I with Q with (absolute value or power) with (add\$3 or sum\$4) with (estimat\$3 or locat\$3) with (synchroniz\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 15:18
S68	218	synchroniz\$5 with power near3 peak	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 15:35
S69	9	S68 and (power same (sav\$3 or stor\$3 or accumul\$3) with (add\$3 or sum\$4))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 15:41
S70	4	window\$1 with (tracking or aquisition) with correlat\$3 with ((sync or synchroniz\$5) near3 (code or word))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 16:37
S71	30	(TD adj2 scdma) and (synchronization same correlation)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/07 16:37

EAST Search History

S72	239	I with Q with absolute with (sum\$4 or add\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 07:39
S73	9	S72 with synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 07:50
S74	42050	(tracking or acquisition) same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 07:51
S75	19996	(tracking or acquisition) with power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 07:51
S76	216	(tracking or acquisition) with power with correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 07:54
S77	2	S76 with (add\$3 or sum\$4) same absolute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 07:52
S78	0	S76 and (TD adj2 CDMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 07:54
S79	0	S76 and (TD adj2 sCDMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 07:54

EAST Search History

S80	67	S76 and (Time division or GMS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 08:04
S81	5066	circular buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 08:04
S82	452989	S81 and synchronization or acquisition or tracking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 08:04
S83	2592	S81 and (synchronization or acquisition or tracking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 08:05
S84	175	S83 and (time division or GSM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 08:05
S85	3	S84 and (power near3 (profile or distribution))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 08:06
S86	673	location with (search or locat\$3) with ((sync or synchroniz\$5) near3 (word or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 08:07
S87	10	S86 with (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 08:07

EAST Search History

S88	797	TD-SCDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 11:23
S89	32	S88 and cell search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 14:34
S90	2	"6005854".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 12:38
S91	37	demodulator with correlation with ((sync or synchroniz\$5) near2 (code or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 14:35
S92	39	((TD adj2 SCDMA) or (TDD adj2 CDMA)) and (synchronization with correlation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 16:22
S93	2	"5455822".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 15:10
S94	2	09/805530	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 16:22
S95	0	09/805530 and circular buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 16:22

EAST Search History

S96	2	09/805530 and circular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 16:41
S97	384	(benefit or advantage) same (circular near2 (buffer or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 16:42
S98	289	(benefit or advantage) same (circular near2 (buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/08 16:42
S99	87	circular buffer with accumulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/12 11:48
S10 0	2	"5442579".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/12 11:48